



Characteristics

Conservation Plant Characteristics

Lolium perenne L. ssp. *multiflorum* (Lam.) Husnot
Italian ryegrass
LOPEM2

Summary

Duration	Annual, Perennial	Federal T/E Status
Growth Habit	Graminoid	National Wetland Indicator
U.S. Nativity		

Morphology/Physiology

Active Growth Period	Spring and Summer	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Moderate	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Low	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	2.5
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Moderate	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Fine	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	5
Adapted To Fine Textured Soils	Yes	pH, Maximum	7.9
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	Medium	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	18
Drought Tolerance	Low	Precipitation, Maximum	65
Fertility Requirement	Medium	Root Depth, Minimum	8
Fire Tolerance	Low	Salinity Tolerance	High
Frost Free Days, Minimum	150	Shade Tolerance	Intermediate

Hedge Tolerance	None	Temperature, Minimum (°F)	-8
-----------------	------	---------------------------	----

Reproduction

Bloom Period	Early Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Spring	Propagated By Sprigs	No
Fruit/Seed Period End	Spring	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	217000
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	Medium
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	High
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

***Lolium perenne* L. ssp. *multiflorum* (Lam.) Husnot**
Italian ryegrass
LOPEM2
Cultivar: Georgia Reseeding

Summary

Duration	Annual, Perennial	Federal T/E Status	
Growth Habit	Graminoid	National Wetland Indicator	
U.S. Nativity			

Morphology/Physiology

Active Growth Period	Fall, Winter and Spring	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Rapid	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Low	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	2.5
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short

Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Porous	Resprout Ability	No
Foliage Porosity Winter	Moderate	Shape and Orientation	Erect
Foliage Texture	Fine	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	5
Adapted To Fine Textured Soils	Yes	pH, Maximum	7.9
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	Medium	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	18
Drought Tolerance	Low	Precipitation, Maximum	65
Fertility Requirement	Medium	Root Depth, Minimum	8
Fire Tolerance	Low	Salinity Tolerance	High
Frost Free Days, Minimum	200	Shade Tolerance	Intermediate
Hedge Tolerance	None	Temperature, Minimum (°F)	12

Reproduction

Bloom Period	Early Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Spring	Propagated By Sprigs	No
Fruit/Seed Period End	Spring	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	217000
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	High
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

***Lolium perenne* L. ssp. *multiflorum* (Lam.) Husnot**
Italian ryegrass
LOPEM2
Cultivar: Magnolia

Summary

Duration	Annual, Perennial	Federal T/E Status	
Growth Habit	Graminoid	National Wetland Indicator	
U.S. Nativity			

Morphology/Physiology

Active Growth Period	Fall, Winter and Spring	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Rapid	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Low	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	2.6
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Porous	Resprout Ability	No
Foliage Porosity Winter	Moderate	Shape and Orientation	Erect
Foliage Texture	Fine	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	5
Adapted To Fine Textured Soils	Yes	pH, Maximum	7.5
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	Medium	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	18
Drought Tolerance	Low	Precipitation, Maximum	65
Fertility Requirement	Medium	Root Depth, Minimum	8
Fire Tolerance	Low	Salinity Tolerance	High
Frost Free Days, Minimum	215	Shade Tolerance	Intermediate
Hedge Tolerance	None	Temperature, Minimum (°F)	7

Reproduction

Bloom Period	Early Spring	Propagated By Cuttings	No
--------------	--------------	------------------------	----

Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Spring	Propagated By Sprigs	No
Fruit/Seed Period End	Spring	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	217000
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	High
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

***Lolium perenne* L. ssp. *multiflorum* (Lam.) Husnot**
Italian ryegrass
LOPEM2
Cultivar: Marshall

Summary

Duration	Annual, Perennial	Federal T/E Status	
Growth Habit	Graminoid	National Wetland Indicator	
U.S. Nativity			

Morphology/Physiology

Active Growth Period	Fall, Winter and Spring	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Rapid	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Low	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	2.2
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Porous	Resprout Ability	No
Foliage Porosity Winter	Moderate	Shape and Orientation	Erect

Foliage Texture	Fine	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	5
Adapted To Fine Textured Soils	Yes	pH, Maximum	7.9
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	Medium	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	18
Drought Tolerance	Low	Precipitation, Maximum	65
Fertility Requirement	Medium	Root Depth, Minimum	8
Fire Tolerance	Low	Salinity Tolerance	High
Frost Free Days, Minimum	200	Shade Tolerance	Intermediate
Hedge Tolerance	None	Temperature, Minimum (°F)	7

Reproduction

Bloom Period	Early Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Spring	Propagated By Sprigs	No
Fruit/Seed Period End	Spring	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	217000
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitability/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	High
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

***Lolium perenne* L. ssp. *multiflorum* (Lam.) Husnot**
Italian ryegrass
LOPEM2
Cultivar: Tam-90

Summary

Duration	Annual, Perennial	Federal T/E Status	
Growth Habit	Graminoid	National Wetland Indicator	
U.S. Nativity			

Morphology/Physiology

Active Growth Period	Fall, Winter and Spring	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Rapid	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Low	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Porous	Resprout Ability	No
Foliage Porosity Winter	Moderate	Shape and Orientation	Erect
Foliage Texture	Fine	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	5
Adapted To Fine Textured Soils	Yes	pH, Maximum	7.9
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	Medium	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	18
Drought Tolerance	Low	Precipitation, Maximum	65
Fertility Requirement	Medium	Root Depth, Minimum	8
Fire Tolerance	Low	Salinity Tolerance	High
Frost Free Days, Minimum	225	Shade Tolerance	Intermediate
Hedge Tolerance	None	Temperature, Minimum (°F)	17

Reproduction

Bloom Period	Early Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Spring	Propagated By Sprigs	No
Fruit/Seed Period End	Spring	Propagated By Tubers	No

Fruit/Seed Persistence	No	Seed Per Pound	217000
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	High
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Time Generated: 03/17/2008 02:23 PM MDT

[Close Window](#)